



EVOLUTION RANGE EVO321

TYPE	Rack conveyor dishwashers
LINE	EVOLUTION RANGE
BASKET	500x500
SIZE	2568x770x1825h

The EVOLUTION Line has been designed to meet the needs of every customer, thanks to the various accessories installable, combining large workloads and optimising spaces available, simplifying operator work and reducing consumption. The models of this line are equipped with a double filtration system that retains all residues, whereas the vertical wash pumps and stainless steel wash arms ensure great performance. Evolution is also equipped with counterbalanced doors with double wall and anti-fall system and rounded moulded tanks.

STANDARD EQUIPMENT	
Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2
DISHWASHERS FEATURES	
EVOLUTION RANGE EVO321	
Dimensions - (mm) L - P - H	2568x770x1825h
Basket dimensions	500x500
n° baskets/hour	210/110
Passage height max (cm)	450 mm
Total power input	36,5 kW (50°C) - 51,5 kW (15°C)*
Standard input voltage	400V3N - 50 Hz
PRE-WASHING	
Tank capacity (lt)	70 l
Washing pump	1,5 kW - 2 Hp
WASHING	
Tank capacity (lt)	70 l
Washing pump	1,5 kW - 2 Hp
Tank heating element (kW)	10,5 kW
FINAL RINSING	
Boiler heating element (kW)	15,5 kW
Water consumption	~ 300 l/h
Inlet water temperature (°C)	+50°C
Minimum water pressure (BAR)	2 bar
Water hardness (°f)	7°f - 10°f
DRYING	
Fan	0,55 kW
Air capacity	~ 1400 m3/h
Heating element	6 kW
STANDARD EQUIPMENT	
Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2
4 division cutlery insert	1
Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2
OPTIONAL	
Pressure reducer with pressure gauge	●
Break-Tank and 200W rinse pump	●
Corner pre-washing system	●
Option extra power 9,5 Kw	●
Steam condensate module	●
Steam extractor with fan	●
Steam outlet chimney	●
Internal detergent & rinse-aid dosing unit	●
Triple tank filter and stainless steel drawer	●
● Optional Installabile, ◻ Optional not installabile	

EVO321

